L Number	Hits	Search Text	DB	Time stamp
-	0	345/339.CCLS.	USPAT;	2002/10/29 16:41
			US-PGPUB;	
			IBM_TDB	
-	391	345/856.CCLS.	USPAT;	2002/10/29 16:42
+			US-PGPUB;	
1			IBM_TDB	
_ 1	46	345/857.CCLS.	USPAT;	2002/10/29 16:42
1		3 13/03 / 100 230.	US-PGPUB;	2002/10/25 10:12
ł			IBM_TDB	
_ 1	748	(compar\$5 with image) same (coordinate) same (point\$3)	USPAT;	2002/10/29 17:00
•	740	(comparas with image) same (coordinate) same (pointas)	US-PGPUB;	2002/10/27 17:00
			IBM_TDB	
	240	((compar\$5 with image) same (coordinate) same (point\$3)) same	-	2002/10/29 17:02
-	240		USPAT;	2002/10/29 17:02
		(template or reference)	US-PGPUB;	
1			IBM_TDB	
-	21	(((compar\$5 with image) same (coordinate) same (point\$3)) same	USPAT;	2002/10/29 17:02
1		(template or reference)) and 345/\$.CCLS.	US-PGPUB;	
1			IBM_TDB	
-	2	(compar\$5 with (image or icon or display) with template) same (vicinity	USPAT;	2002/10/29 17:29
1		with (cursor or point\$3))	US-PGPUB;	
1			IBM_TDB	
- 1	1	6009194.pn.	USPAT;	2002/10/29 17:41
1			US-PGPUB;	
			IBM TDB	
-	852	((image or icon or display) with template) same (point\$3 or cursor)	USPĀT;	2002/10/29 17:43
		(, , d , , , , , , , , , , , , , , , ,	US-PGPUB;	
			IBM_TDB	
_	363	(((image or icon or display) with template) same (point\$3 or cursor))	USPAT;	2002/10/29 17:45
-	303	same (position or coordinate)	US-PGPUB;	2002/10/2/1/13
		Same (position or coordinate)	IBM_TDB	
	48	(((((image or icon or display) with template) same (point\$3 or cursor))	USPAT;	2002/10/29 17:45
-	40	same (position or coordinate)) and 345/\$.CCLS.	US-PGPUB;	2002/10/29 17.43
i		same (position of coordinate)) and 343/3.CCLS.		
1	70010	(DDA (18 '(1 said and)) and (said and)	IBM_TDB	2002/10/20 10:12
-	78919	(PDA or (personal digital assistant)) same (cursor or point\$ or pen)	USPAT;	2002/10/29 18:12
l			US-PGPUB;	
			IBM_TDB	
-	78940	(PDA or (personal digital assistant)) same (cursor or point\$4 or pen)	USPAT;	2002/10/29 18:16
			US-PGPUB;	
İ			IBM_TDB	
-	6005	((PDA or (personal digital assistant)) same (cursor or point\$4 or pen))	USPAT;	2002/10/29 18:18
		and 345/\$.CCLS.	US-PGPUB;	
1			IBM_TDB	
-	7	(((PDA or (personal digital assistant)) same (cursor or point\$4 or pen))	USPAT;	2002/10/29 18:16
İ		and 345/\$.CCLS.) and (compar\$3 with (image or icon or display) with	US-PGPUB;	
		template)	IBM_TDB	
-	1344	(PDA or "personal digital assistant") same (cursor or point\$4 or pen)	USPAT;	2002/10/29 18:17
			US-PGPUB;	
			IBM TDB	!
	220	((PDA or "personal digital assistant") same (cursor or point\$4 or pen))	USPAT;	2002/10/29 18:19
		and 345/\$.CCLS.	US-PGPUB;	
		und 5 15/0/0055.	IBM_TDB	
	. 62	((PDA or "personal digital assistant") same (cursor or point\$4 or pen))	USPAT;	2002/10/29 18:22
-	. 02	and (345/856 or 345/857 or 345/858 or 345/157 or 345/159	US-PGPUB;	2002/10/25 10.22
	100	or 345/160 or 345/173 or 345/169).CCLS.	IBM_TDB	2002/10/20 19:20
-	180	((cursor or point\$ or pen) with accurat\$4) same (portable or handheld or	USPAT;	2002/10/29 18:26
		PDA or "personal digital assistant")	US-PGPUB;	
			IBM_TDB	
-	180	((cursor or point\$4 or pen) with accurat\$4) same (portable or handheld or	USPAT;	2002/10/29 18:42
		PDA or "personal digital assistant")	US-PGPUB;	
			IBM_TDB	
-	36	((accura\$5 or precis\$3) with (point\$3 or click\$3)) same (handheld or	USPAT;	2002/10/29 18:54
		PDA or "personal digial assistant")	US-PGPUB;	
ı			IBM_TDB	1

	610	245/170 CCI S	LICDAT.	2002/10/20 10 12
-	619	345/179.CCLS.	USPAT;	2002/10/29 19:13
			US-PGPUB;	
İ	24501		IBM_TDB	
-	34591	palm	USPAT;	2002/10/29 19:14
			US-PGPUB;	
			IBM_TDB	
-	94	palm.as.	USPAT;	2002/10/29 19:14
			US-PGPUB;	
			IBM_TDB	0 (0
-	10331	(compar\$5 or match\$3) with ((image or icon or display) with (template or	USPAT;	2002/10/30 11:30
		reference))	US-PGPUB;	1
			IBM_TDB	
-	135	((compar\$5 or match\$3) with ((image or icon or display) with (template	USPĀT;	2002/10/30 11:33
		or reference))) same ((pointing adj device) or cursor or mouse or click\$3)	US-PGPUB;	
			IBM TDB	
_	56	(((compar\$5 or match\$3) with ((image or icon or display) with (template	USPAT;	2002/10/30 11:34
		or reference))) same ((pointing adj device) or cursor or mouse or	US-PGPUB;	
		click\$3)) same (position or coordinat\$5)	IBM_TDB	
	1	5404458.pn.	USPAT;	2002/10/30 11:45
-	1	5404456.pm.		2002/10/30 11.43
			US-PGPUB;	
		(11422424440002411114400024111144004041111	IBM_TDB	2002/10/20 ** **
•	13		USPAT	2002/10/30 11:49
		"4899138" "4903012" "5025411" "5027109" "5157384" "5179368"		
		"5187467" "5189403").PN.		1
-	1	5786810.pn.	USPAT;	2002/10/30 11:55
			US-PGPUB;	
			IBM_TDB	
-	4	(USPAT	2002/11/04 09:57
-	26	("3668654" "3873770" "3875331" "3995269" "3997891"	USPAT	2002/11/04 10:09
		"4009338" "4267443" "4286289" "4295135" "4305135" "4317005"		
		"4346376" "4384201" "4386232" "4386346" "4389711"		
		"4396977" "4413314" "4424572" "4432360" "4442317" "4444998"		ŀ
		"4476463" "4514688" "4553091" "4577057").PN.		
_	1188	345/156.CCLS.	USPAT;	2002/11/04 10:20
			US-PGPUB;	
			IBM_TDB	
_	11	345/156.CCLS. and (((image or icon or display) with template) same	USPAT;	2002/11/04 10:29
•		(correct\$3 or match\$3 or extract\$3))	US-PGPUB;	2002/11/04 10.27
		(corrects of matches of extracts))	IBM TDB	
	125	245/156 CCLS and ((image on display) same (necition\$2 or coordinat\$2)		2002/11/04 10:22
•	135	345/156.CCLS. and ((image or display) same (position\$3 or coordinat\$3)	USPAT;	2002/11/04 10:32
		same (correct\$3 or match\$3))	US-PGPUB;	
			IBM_TDB	2002/11/04 17 55
-	125	(image or display) same ("hot spot" or hotspot) same (template or	USPAT;	2002/11/04 15:39
		reference or database or storage)	US-PGPUB;	
			IBM_TDB	
-	11	("4941111" "5041992" "5226109" "5287448" "5307457"	USPAT	2002/11/04 15:17
		"5317680" "5371514" "5448688" "5526020" "5588093"	91	
		"5590262").PN.		
-	129	(image or display) same ("hot spot" or hotspot or "hit detection") same	USPAT;	2002/11/04 15:40
		(template or reference or database or storage)	US-PGPUB;	
		· ·	IBM_TDB	
	4	((image or display) same ("hot spot" or hotspot or "hit detection") same	USPAT;	2002/11/04 15:40
		(template or reference or database or storage)) and ("hit detection")	US-PGPUB;	1
		(int detection)	IBM_TDB	
_	1	5,448,688.pn.	USPAT;	2002/11/04 17:02
-		2, 110,000.pm	US-PGPUB;	1002/11/04 17:02
	1			<u> </u>
	44701	(auman an mauga an atulua) maané (alialia an mainta? an indianta?)	IBM_TDB	2002/04/05 16:20
•	44701	(cursor or mouse or stylus) near6 (click\$ or point\$3 or indicat\$3)	USPAT;	2003/04/06 16:20
	1		US-PGPUB;	
			EPO;	
			DERWENT;	
	1	I	IBM_TDB	1

-	1	"L1" same ((correct\$3 or adjust\$3 or chang\$ or alter\$3 or shift\$3 or allocat\$3 or reallocat\$3 or modif\$7) near5 (position or location or point or spot or coordinat\$3))	USPAT; US-PGPUB; EPO;	2003/04/06 16:21
	200=		DERWENT; IBM_TDB	
-	2907	((cursor or mouse or stylus) near6 (click\$ or point\$3 or indicat\$3)) same ((correct\$3 or adjust\$3 or chang\$3 or alter\$3 or shift\$3 or allocat\$3 or reallocat\$3 or modif\$7) near5 (position or location or point or spot or coordinat\$3))	USPAT; US-PGPUB; EPO; DERWENT;	2003/04/06 15:48
-	44	(((cursor or mouse or stylus) near6 (click\$ or point\$3 or indicat\$3)) same ((correct\$3 or adjust\$3 or chang\$3 or alter\$3 or shift\$3 or allocat\$3 or reallocat\$3 or modif\$7) near5 (position or location or point or spot or coordinat\$3))) same (resolution)	IBM_TDB USPAT; US-PGPUB; EPO; DERWENT;	2003/04/06 15:49
-	1	(((cursor or mouse or stylus) near6 (click\$ or point\$3 or indicat\$3)) same ((correct\$3 or adjust\$3 or chang\$3 or alter\$3 or shift\$3 or allocat\$3 or reallocat\$3 or modif\$7) near5 (position or location or point or spot or coordinat\$3))) same ("personal digital assistant" or PDA)	IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM TDB	2003/04/06 16:05
-	25	(((cursor or mouse or stylus) near6 (click\$ or point\$3 or indicat\$3)) same ((correct\$3 or adjust\$3 or chang\$3 or alter\$3 or shift\$3 or allocat\$3 or reallocat\$3 or modif\$7) near5 (position or location or point or spot or coordinat\$3))) same ((template or reference or model) near3 image)	USPAT; US-PGPUB; EPO; DERWENT;	2003/04/06 16:20
-	1541	((cursor or mouse or stylus) near6 (click\$ or point\$3 or indicat\$3)) with ((correct\$3 or adjust\$3 or chang\$ or alter\$3 or shift\$3 or allocat\$3 or reallocat\$3 or modif\$7) near5 (position or location or point or spot or coordinat\$3))	IBM_TDB USPAT; US-PGPUB; EPO; DERWENT;	2003/04/06 16:27
	1630	((cursor or mouse or stylus) near6 (click\$ or point\$3 or indicat\$3)) with ((correct\$3 or adjust\$3 or chang\$3 or alter\$3 or shift\$3 or allocat\$3 or reallocat\$3 or modif\$7) near5 (position or location or point or spot or coordinat\$3))	IBM_TDB USPAT; US-PGPUB; EPO; DERWENT;	2003/04/06 16:29
•	0	(((cursor or mouse or stylus) near6 (click\$ or point\$3 or indicat\$3)) with ((correct\$3 or adjust\$3 or chang\$3 or alter\$3 or shift\$3 or allocat\$3 or reallocat\$3 or modif\$7) near5 (position or location or point or spot or coordinat\$3))) and 382/209.ccls.	IBM_TDB USPAT; US-PGPUB; EPO; DERWENT;	2003/04/06 16:29
_	699	(((cursor or mouse or stylus) near6 (click\$ or point\$3 or indicat\$3)) with ((correct\$3 or adjust\$3 or chang\$3 or alter\$3 or shift\$3 or allocat\$3 or reallocat\$3 or modif\$7) near5 (position or location or point or spot or coordinat\$3))) and 345/\$.ccls.	IBM_TDB USPAT; US-PGPUB; EPO; DERWENT;	2003/04/06 16:29
-	14236	(correct\$3 or calculat\$3 or determin\$3 or adjust\$3 or modif\$7 or allocat\$3 or detect\$3) near7 (cursor or point\$3 or click or mouse) near4 (position or spot or coordinat\$3 or point or location) near7 image	IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/04/06 16:39
	6471	((correct\$3 or calculat\$3 or determin\$3 or adjust\$3 or modif\$7 or allocat\$3 or detect\$3) near7 ((cursor or point\$3 or click or mouse) near4 (position or spot or coordinat\$3 or point or location))) near7 image	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/04/06 16:46
-	626	(((correct\$3 or calculat\$3 or determin\$3 or adjust\$3 or modif\$7 or allocat\$3 or detect\$3) near7 ((cursor or point\$3 or click or mouse) near4 (position or spot or coordinat\$3 or point or location))) near7 image) same ((template or reference) near4 (image))	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/04/06 16:44
-	36	(((correct\$3 or calculat\$3 or determin\$3 or adjust\$3 or modif\$7 or allocat\$3 or detect\$3) near7 ((cursor or point\$3 or click or mouse) near4 (position or spot or coordinat\$3 or point or location))) near7 image) and 382/209.ccls.	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/04/06 16:44

-	492	((correct\$3 or calculat\$3 or determin\$3 or adjust\$3 or modif\$7 or allocat\$3 or detect\$3) near7 ((cursor or click or mouse) near4 (position or spot or coordinat\$3 or point or location))) near7 image	USPAT; US-PGPUB; EPO;	2003/04/06 16:48
		,,,,	DERWENT;	
		(//composes on coloridate) on determines on diverse on adjusted on the different	IBM_TDB	2002/04/06 16 40
•	0	(((correct\$3 or calculat\$3 or determin\$3 or adjust\$3 or modif\$7 or allocat\$3 or detect\$3) near7 ((cursor or click or mouse) near4 (position or	USPAT; US-PGPUB;	2003/04/06 16:49
		spot or coordinat\$3 or point or location))) near7 image) and 382/209.ccls.	EPO;	
			DERWENT;	
	15	(((correct\$3 or calculat\$3 or determin\$3 or adjust\$3 or modif\$7 or	IBM_TDB USPAT;	2003/04/06 16:51
		allocat\$3 or detect\$3) near7 ((cursor or click or mouse) near4 (position or	US-PGPUB;	2003/01/00 10:51
		spot or coordinat\$3 or point or location))) near7 image) and ((hit near2 detect\$3) or (hot near2 (spot or area)))	EPO; DERWENT;	
		detects) of (not near (spot of area)))	IBM TDB	
-	51824	SUZUKI.in.	USPAT;	2003/04/06 17:03
			US-PGPUB; EPO;	
			DERWENT;	
			IBM_TDB	
-	129	SUZUKI-YASUHIRO.in.	USPAT; US-PGPUB;	2003/04/06 17:06
			EPO;	
			DERWENT;	
_	3	SUZUKI-YASUHIRO.in. and (cursor)	IBM_TDB USPAT;	2003/04/06 17:06
		SOZOKI-1760TIKO.III. alia (cuisor)	US-PGPUB;	2003/04/00 17:00
			EPO;	
			DERWENT; IBM_TDB	
_	0	YASUHIRO-SUZUKI.in.	USPAT;	2003/04/06 17:06
			US-PGPUB;	
			EPO; DERWENT;	
			IBM_TDB	
-	24	SUZUKI-YASUHIRO.in. and (hot spot)	USPAT;	2003/04/06 17:07
			US-PGPUB; EPO;	
			DERWENT;	
	0	SUZUKI-YASUHIRO.in. and ("hot spot")	IBM_TDB USPAT;	2003/04/06 17:07
	U	SOZOKI-TASOTIKO.III. and (not spot)	US-PGPUB;	2003/04/00 17:07
			EPO;	
			DERWENT; IBM_TDB	
-	13	(((correct\$3 or calculat\$3 or determin\$3 or adjust\$3 or modif\$7 or	USPĀT;	2003/04/06 17:08
		allocat\$3 or detect\$3) near7 ((cursor or click or mouse) near4 (position or spot or coordinat\$3 or point or location))) near7 image) and ("hot spot"	US-PGPUB;	
		or "hit detection")	EPO; DERWENT;	
			IBM_TDB	
-	56	(("hot spot" or "hit detction") near4 (image)) with (cursor or mouse or point\$3 or stylus)	USPAT; US-PGPUB;	2003/04/06 17:15
		points of stylus)	EPO;	1 111
			DERWENT;	1 -1
_	13	 ("5479526" "5642131" "5757358" "5844557" "5917486"	IBM_TDB USPAT	2003/04/06 17:23
	"	"5986639" "5990862" "6014127" "6034689" "6049325" "6057827"	001711	2003/04/00 17:23
		"6075537" "6078935").PN.	HICDAT	2002/04/07 10:29
-	9	("4601003" "5202671" "5317680" "5347628" "5349658" "5394521" "5442736" "5463728" "5737553").PN.	USPAT	2003/04/07 10:28
-	2	5844557.pn.	USPAT;	2003/04/07 14:43
			US-PGPUB; EPO;	
			DERWENT;	
			IBM_TDB	37

-	9	("4601003" "5202671" "5317680" "5347628" "5349658" "5394521" "5442736" "5463728" "5737553").PN.	USPAT	2003/04/07 14:43
-	303	((correct\$3 or adjust\$3 or modif\$7 or determin\$3) near7 ((cursor) near4 (position or location or spot\$3 or point\$3))) with image	USPAT; US-PGPUB;	2003/04/07 14:53
-	0	(((correct\$3 or adjust\$3 or modif\$7 or determin\$3) near7 ((cursor) near4 (position or location or spot\$3 or point\$3))) with image) same (template)	EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT;	2003/04/07 14:56
-	128	(((correct\$3 or adjust\$3 or modif\$7 or determin\$3) near7 ((cursor) near4 (position or location or spot\$3 or point\$3))) with image) and 345/\$.ccls.	IBM_TDB USPAT; US-PGPUB; EPO; DERWENT;	2003/04/07 15:40
-	8	 ("4698625" "4903012" "5164585" "5227622" "5243332" "5294792" "5502514" "5528263").PN.	IBM_TDB USPAT	2003/04/07 15:35
-	234	382/313.ccls.	USPAT; US-PGPUB;	2003/04/07 15:41
-	2	(((correct\$3 or adjust\$3 or modif\$7 or determin\$3) near7 ((cursor) near4 (position or location or spot\$3 or point\$3))) with image) and 382/313.ccls.	EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT;	2003/04/07 15:41
-	3	382/313.ccls. and (correct\$3 near7 ((point\$3 or cursor) near4 (location or position or spot or coordinat\$3)))	IBM_TDB USPAT; US-PGPUB; EPO; DERWENT;	2003/04/07 15:48
<u>-</u>	5	382/313.ccls. and ((correct\$3 or shift\$3 or adjust\$3 or reallocat\$3 or modify\$3) near7 ((point\$3 or cursor) near4 (location or position or spot or coordinat\$3)))	IBM_TDB USPAT; US-PGPUB; EPO; DERWENT;	2003/04/07 15:50
-	19	(calculat\$3 or determin\$3 or obtain\$3 or comput\$3 or estimat\$3 or evaluat\$3) with ((("hot spot" or hotspot) and (cursor or pointing or mouse)) near6 (position or location or coordinat\$3 or distance))	IBM_TDB USPAT; US-PGPUB; EPO; DERWENT;	2003/04/07 15:57
-	6	("4586035" "4984152" "5146211" "5146212" "5179656" "5298890").PN.	IBM_TDB USPAT	2003/04/07 15:59
-	6 13	5657050.URPN. ("5119079" "5177328" "5386219" "5452414" "5510813" "5642490" "5761681" "5777605" "5821930" "5825352" "5854988" "6040824" "6211856").PN.	USPAT USPAT	2003/04/07 16:00 2003/04/07 18:07
-	13924	(correct\$3 or adjust\$3 or relocat\$3) near8 ((cursor or mouse or point\$3) near5 (location or position or coordinat\$3))	USPAT; US-PGPUB; EPO; DERWENT;	2003/04/08 15:10
-	48	((correct\$3 or adjust\$3 or relocat\$3) near8 ((cursor or mouse or point\$3) near5 (location or position or coordinat\$3))) same (template)	IBM_TDB USPAT; US-PGPUB; EPO;	2003/04/08 15:14
i		(correct\$3 or adjust\$3 or relocat\$3) near8 ((cursor or mouse) near5	DERWENT; IBM_TDB USPAT;	2003/04/08 15:10

-	2	((correct\$3 or adjust\$3 or relocat\$3) near8 ((cursor or mouse) near5 (location or position or coordinat\$3))) same (template)	USPAT; US-PGPUB;	2003/04/08 15:14
			EPO; DERWENT;	
-	373	((correct\$3 or adjust\$3 or relocat\$3) near8 ((cursor or mouse) near5 (location or position or coordinat\$3))) and 345/\$.ccls.	IBM_TDB USPAT; US-PGPUB;	2003/04/08 15:24
			EPO; DERWENT; IBM_TDB	
-	4	((correct\$3 or adjust\$3 or relocat\$3) near8 ((cursor or mouse) near5 (location or position or coordinat\$3))) same ("hot spot" or hotspot)	USPAT; US-PGPUB; EPO;	2003/04/08 15:16
			DERWENT; IBM_TDB	
-	122	((correct\$3 or adjust\$3 or relocat\$3) near8 ((cursor or mouse) near5 (location or position or coordinat\$3))) with image	USPAT; US-PGPUB; EPO;	2003/04/08 15:29
	400.4		DERWENT; IBM_TDB	
-	4894	(cursor or point\$3 or click or mouse) near3 (position\$3 or location or coordinat\$3) near5 (correct\$3 or reposition\$3 or re-position\$3 or relocation\$3)	USPAT; US-PGPUB; EPO;	2003/04/17 19:49
i			DERWENT; IBM_TDB	
-	35	((cursor or point\$3 or click or mouse) near3 (position\$3 or location or coordinat\$3) near5 (correct\$3 or reposition\$3 or re-position\$3 or re-location\$3)) same (hotspot or "hot spot" or hit)	USPAT; US-PGPUB; EPO;	2003/04/17 20:39
			DERWENT; IBM_TDB	
-	6	("4686522" "4725829" "5307457" "5583984" "5617117" "5745715").PN.	USPAT	2003/04/17 20:02
-	6	((cursor or point\$3 or click or mouse) near3 (position\$3 or location or coordinat\$3) near5 (correct\$3 or reposition\$3 or re-position\$3 or relocation\$3 or re-location\$3)) same (hotspot or "hot spot" or (hit near2 detect\$3))	USPAT; US-PGPUB; EPO; DERWENT;	2003/04/17 20:41
-	12029	YASUHIRO.in.	IBM_TDB USPAT; US-PGPUB; EPO;	2003/04/17 21:01
-	189	(hit near3 detect\$3).ti.	DERWENT; IBM_TDB USPAT;	2003/04/17 21:07
			US-PGPUB; EPO; DERWENT;	
-	27	("hit detection").ti.	IBM_TDB USPAT; US-PGPUB;	2003/04/17 21:11
			EPO; DERWENT;	
-	2	5448688.pn.	IBM_TDB USPAT; US-PGPUB;	2003/04/17 21:19
			EPO; DERWENT; IBM_TDB	
-	3 8	("4870599" "4982345" "5208909").PN. 5448688.URPN.	USPAT USPAT	2003/04/17 21:11
-	139	(("hot spot" or hotspot or "hit detection") with (cursor or click or mouse or point\$3)).ab.	USPAT USPAT; US-PGPUB; EPO;	2003/04/17 21:14 2003/04/17 21:45
			DERWENT; IBM_TDB	

		_		
-	3204	(image or icon or region or area) near7 ("hot spot" or "hotspot")	USPAT; US-PGPUB;	2003/04/17 21:47
			EPO; DERWENT;	
			IBM_TDB	
-	248	((image or icon or region or area) near7 ("hot spot" or "hotspot")) same	USPAT;	2003/04/17 21:58
		(template or reference)	US-PGPUB; EPO;	
			DERWENT;	
	44	(((image en instance) and (i) (i) (ii) (ii)	IBM_TDB	
-	44	(((image or icon or region or area) near7 ("hot spot" or "hotspot")) same (template or reference)) same (cursor or pointing or mouse or click)	USPAT; US-PGPUB;	2003/04/17 21:51
		(Francisco of Silver)	EPO;	
			DERWENT;	
-	10	("5065345" "5109482" "5204947" "5319455" "5442390"	IBM_TDB USPAT	2003/04/17 21:54
		"5453779" "5461415" "5528513" "5539871" "5596705").PN.	Corre	2003/04/17 21:54
-	236	((image or icon or region or area) near7 ("hot spot" or "hotspot")) same (cursor or mouse or pointing or click)	USPAT;	2003/04/17 21:58
		(cursor or mouse or pointing or enek)	US-PGPUB; EPO;	
			DERWENT;	1
_	41	("hot spot" or hotspot) near3 (graphic)	IBM_TDB USPAT;	2002/04/17 22:06
	1	(not spot of notspot) near s (grapine)	US-PGPUB;	2003/04/17 22:06
			EPO;	
			DERWENT; IBM_TDB	
-	7718	((select\$3 or pick\$3 or choos\$3) near5 image) with (template or	USPAT;	2003/04/17 22:10
		reference)	US-PGPUB;	
			EPO; DERWENT;	
			IBM_TDB	
-	4	(((select\$3 or pick\$3 or choos\$3) near5 image) with (template or	USPAT;	2003/04/17 22:11
		reference)) same ("hot spot" or hotspot)	US-PGPUB; EPO;	
			DERWENT;	
_	431304	(point\$3 or stylus) with (position ot location or coordinat\$3 or spot)	IBM_TDB	2002/04/19 12 40
_	431304	(points) of styrus) with (position of focation of coordinats) of spot)	USPAT; US-PGPUB;	2003/04/18 13:49
			EPO;	
			DERWENT;	
-	32933	((point\$3 or stylus) with (position ot location or coordinat\$3 or spot))	USPAT;	2003/04/24 14:11
		with (correct\$3 or adjust\$3 or reposition\$3 or re-position\$3 or re-loact\$3	US-PGPUB;	
		or relocat\$3)	EPO; DERWENT;	
			IBM_TDB	·]]]
-	146	(((point\$3 or stylus) with (position ot location or coordinat\$3 or spot)) with (correct\$3 or adjust\$3 or reposition\$3 or re-loact\$3	USPAT;	2003/04/18 14:35
		or relocat\$3)) same ((image or icon or template or pattern or reference)	US-PGPUB; EPO;	
		near (match\$3 or compar\$3))	DERWENT;	
_	335	(((point\$3 or stylus) with (position ot location or coordinat\$3 or spot))	IBM_TDB USPAT;	2003/04/18 14:38
		with (correct\$3 or adjust\$3 or reposition\$3 or re-loact\$3	US-PGPUB;	2005/04/10 14:30
		or relocat\$3)) same ((image or icon or template or pattern or reference) near3 (match\$3 or compar\$3))	EPO;	
		nears (materias or comparas))	DERWENT; IBM_TDB	
-	189	((((point\$3 or stylus) with (position ot location or coordinat\$3 or spot))	USPĀT;	2003/04/18 14:38
		with (correct\$3 or adjust\$3 or reposition\$3 or re-position\$3 or re-loact\$3 or relocat\$3)) same ((image or icon or template or pattern or reference)	US-PGPUB; EPO;	
		near3 (match\$3 or compar\$3))) not ((((point\$3 or stylus) with (position	DERWENT;	
		ot location or coordinat\$3 or spot)) with (correct\$3 or adjust\$3 or	IBM_TDB	
		reposition\$3 or re-position\$3 or re-loact\$3 or relocat\$3)) same ((image or icon or template or pattern or reference) near (match\$3 or compar\$3)))		
	L	or complate of pattern of reference, hear (materias of comparas)))	L	

-	591	(345/856 or 345/863).ccls.	USPAT; US-PGPUB;	2003/04/18 15:24
-	414	((point\$3 or stylus) with (position ot location or coordinat\$3 or spot)) and ((345/856 or 345/863).ccls.)	EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO;	2003/04/18 15:25
-	36	(((point\$3 or stylus) with (position ot location or coordinat\$3 or spot)) with (correct\$3 or adjust\$3 or reposition\$3 or re-position\$3 or re-loact\$3 or relocat\$3)) and ((345/856 or 345/863).ccls.)	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO;	2003/04/18 15:25
-	85	(((point\$3 or stylus) with (position ot location or coordinat\$3 or spot)) and ((345/856 or 345/863).ccls.)) and ((template or reference) near4 (image or shape or icon or pattern or region or area))	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT;	2003/04/18 15:30
-	2	5448668.pn.	IBM_TDB USPAT; US-PGPUB; EPO;	2003/04/18 16:23
-	2	5448688.pn.	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO;	2003/04/18 16:23
-	628	382/313 or 382/314	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO;	2003/04/18 16:43
-	306	(382/313 or 382/314).ccls.	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT;	2003/04/18 16:44
-	12	(((point\$3 or stylus) with (position ot location or coordinat\$3 or spot)) with (correct\$3 or adjust\$3 or reposition\$3 or re-position\$3 or re-loact\$3 or relocat\$3)) and ((382/313 or 382/314).ccls.)	IBM_TDB USPAT; US-PGPUB; EPO; DERWENT;	2003/04/18 16:44
-	71599	(pointer or "pointing device" or stylus or cursor or mouse or click\$3) with (posit\$3 or locat\$3 or coordinate)	IBM_TDB USPAT; US-PGPUB; EPO;	2003/04/18 17:41
-	5036	((pointer or "pointing device" or stylus or cursor or mouse or click\$3) with (posit\$3 or locat\$3 or coordinate)) with (correct\$3 or adjust\$3 or reposition\$3 or re-locat\$3 or relocat\$3)	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT;	2003/04/18 17:48
-	25	(((pointer or "pointing device" or stylus or cursor or mouse or click\$3) with (posit\$3 or locat\$3 or coordinate)) with (correct\$3 or adjust\$3 or reposition\$3 or re-position\$3 or re-locat\$3 or relocat\$3)) same ((image or icon or template or pattern or reference) near3 (match\$3 or compar\$3))	IBM_TDB USPAT; US-PGPUB; EPO; DERWENT;	2003/04/18 17:45
			IBM_TDB	

-	4	T (MAACACO MILITARIA MAACACO CO CONTRACTO MACACO MA		
-	0.770	("4464655" "4523188" "4698626" "4710758").PN.	USPAT	2003/04/18 17:52
-	2778	(PDA or "personal digital assistant" or handheld or hand-held or tablet)	USPAT;	2003/04/18 18:50
_		same ((point\$3 or stylus or cursor) near7 (icon or image or display or	US-PGPUB;	
_		template))	EPO;	
_			DERWENT;	
-			IBM_TDB	
	69	((PDA or "personal digital assistant" or handheld or hand-held or tablet)	USPAT;	2003/04/18 18:53
		same ((point\$3 or stylus or cursor) near7 (icon or image or display or	US-PGPUB;	
		template))) same (reposition\$3 or re-position\$3 or relocat\$3 or re-locat\$3	EPO;	
		or ((correct\$3 or adjust\$3) near4 (point\$3 or coordinate or position or	DERWENT;	
		location)))	IBM_TDB	
-	2	4719455.pn.	USPAT;	2003/04/18 18:56
İ			US-PGPUB;	
			EPO;	
			DERWENT;	
			IBM_TDB	
-	20	345/812.ccls.	USPAT;	2003/04/18 19:36
			US-PGPUB;	
			EPO;	
			DERWENT;	
			IBM TDB	
-	41	345/858.ccls.	USPAT;	2003/04/18 19:41
			US-PGPUB;	2003/01/10 17:41
			EPO;	
			DERWENT;	
			IBM TDB	
_	81	345/862.ccls.	USPAT;	2003/04/18 19:41
	01	343/002.0013.	US-PGPUB;	2003/04/16 19:41
			EPO;	-
			DERWENT;	
	9	("4661910" "4669047" "4692469" "4609625" "4909070"	IBM_TDB	2002/04/10 20 15
-	9	("4661810" "4668947" "4683468" "4698625" "4808979"	USPAT	2003/04/18 20:17
	20	"4835526" "4987527" "5162779" "5270688").PN.		
-	20	((icon or thumb-nail or thumbnail) with (hotspot or "hot spot" or (point	USPAT;	2003/04/18 20:32
		near3 interest))) same (template or (reference near3 image) or ROM or	US-PGPUB;	
		RAM or memory or storage or "data base")	EPO;	
			DERWENT;	
1	(200	(IBM_TDB	
-	6200	(register\$3 or stor\$3 or list\$3 or record\$3) with ((template or reference)	USPAT;	2003/04/18 20:50
	:	near2 (image or icon))	US-PGPUB;	
			EPO;	
-			DERWENT;	
į	_	// /	IBM_TDB	
-	5	((register\$3 or stor\$3 or list\$3 or record\$3) with ((template or reference)	USPAT;	2003/04/18 20:48
ļ		near2 (image or icon))) with (((hot or hit) near2 (key or spot or point)) or	US-PGPUB;	
		"hotspot" or (point near2 interest))	EPO;	
			DERWENT;	
i			IBM_TDB	
-	192	((register\$3 or stor\$3 or list\$3 or record\$3) with ((template or reference)	USPAT;	2003/04/18 20:51
		near2 (image or icon))) same (mouse or cursor or stylus or pointer or	US-PGPUB;	
00		"pointing device")	EPO;	
X-			DERWENT;	
0			IBM_TDB	
,	79	345/162.ccls.	USPAT;	2003/04/24 14:10
-			US-PGPUB;	
-			EPO;	
-			EFU;	
-				
-			DERWENT;	
-	710	345/179.ccls.	DERWENT; IBM_TDB	2003/04/24 14:10
-	710	345/179.ccls.	DERWENT; IBM_TDB USPAT;	2003/04/24 14:10
-	710	345/179.ccls.	DERWENT; IBM_TDB USPAT; US-PGPUB;	2003/04/24 14:10
-	710	345/179.cels.	DERWENT; IBM_TDB USPAT;	2003/04/24 14:10

-	60	(((point\$3 or stylus) with (position ot location or coordinat\$3 or spot)) with (correct\$3 or adjust\$3 or reposition\$3 or re-position\$3 or re-locat\$3)) and (345/179.ccls.)	USPAT; US-PGPUB; EPO;	2003/04/24 14:24
			DERWENT;	
1_	347	(compar\$3 or match\$3) with ((image or pattern or mask or label or icon	IBM_TDB	2002/04/24 10:20
]	or area or region) near4 (around or within) near2 (point))	USPAT; US-PGPUB;	2003/04/24 19:28
		(means or visiting)	EPO;	
			DERWENT;	
			IBM_TDB	
-	347	(compar\$3 or match\$3) with ((image or pattern or mask or label or icon	USPAT;	2003/04/24 19:30
†		or area or region) near4 (around or within or vinicity) near2 (point))	US-PGPUB;	
	1		EPO;	
			DERWENT;	
! _	114	((compar\$3 or match\$3) with ((image or pattern or mask or label or icon	IBM_TDB	2002/04/24 10 21
	117	or area or region) near4 (around or within or vinicity) near2 (point))) and	USPAT; US-PGPUB;	2003/04/24 19:31
	į	(345/\$.ccls. or 382/\$.ccls.)	EPO;	
		(**************************************	DERWENT;	
			IBM_TDB	
-	859	(defin\$3 or identif\$4 or determin\$3) near5 (center or origin or point)	USPĀT;	2003/04/24 20:05
		near6 (within or around) near7 (image or pattern or icon or map or model	US-PGPUB;	
j		or shape)	EPO;	
			DERWENT;	
	39	((4.5-52 i4-4:04 4-4 02)	IBM_TDB	
•	39	((defin\$3 or identif\$4 or determin\$3) near5 (center or origin or point) near6 (within or around) near7 (image or pattern or icon or map or model	USPAT;	2003/04/24 20:06
1		or shape)) same (cursor or stylus or pointer or pointing)	US-PGPUB; EPO;	
	ı	or shape)) same (carsor or styras or pointer or pointing)	DERWENT;	
			IBM_TDB	
-	35	((defin\$3 or identif\$4 or determin\$3) near5 (center or origin or point)	USPAT;	2003/04/24 20:06
		near6 (within or around) near7 (image or pattern or icon or map or model	US-PGPUB;	
		or shape)) and ((compar\$3 or match\$3) with ((image or pattern or mask	EPO;	
ļ .		or label or icon or area or region) near4 (around or within or vinicity)	DERWENT;	
_	448	near2 (point))) (compar\$3 or match\$3) with ((image or pattern or model or area or region	IBM_TDB	2002/04/24 20 25
	170	or icon) near5 (within or around or vicinity) near3 (point or center or	USPAT; US-PGPUB;	2003/04/24 20:35
		coordinate or origin))	EPO;	
		,	DERWENT;	
			IBM_TDB	
-	9	((compar\$3 or match\$3) with ((image or pattern or model or area or	USPAT;	2003/04/24 20:36
		region or icon) near5 (within or around or vicinity) near3 (point or center	US-PGPUB;	
		or coordinate or origin))) with (cursor or pointer or mouse or stylus)	EPO;	
			DERWENT; IBM_TDB	
-	130	((compar\$3 or match\$3) with ((image or pattern or model or area or	USPAT;	2003/04/24 20:37
		region or icon) near5 (within or around or vicinity) near3 (point or center	US-PGPUB;	
		or coordinate or origin))) and (345/\$.ccls. or 382/\$.ccls.)	EPO;	
			DERWENT;	
	120	(tough man) (amon an man) on the total (in the control of the cont	IBM_TDB	0000/01/01
-	130	(touch near2 (screen or panel or display)) same ((template or reference) same ((shape or icon or label or image or mask or bitmap) same (pointer	USPAT;	2003/04/24 20:57
		or stylus or pen or cursor)))	US-PGPUB;	
		or ordinal or port or oursurfff	EPO; DERWENT;	
			IBM_TDB	
-	10	(touch near2 (screen or panel or display)) same ((template) same ((shape	USPAT;	2003/04/24 21:00
		or icon or label or image or mask or bitmap) same (pointer or stylus or	US-PGPUB;	
		pen or cursor)))	EPO;	
			DERWENT;	
_	1032	((defin\$3 or identif\$3 or label\$3) near4 (image or area or region or	IBM_TDB	2002/04/24 21 02
-	1032	pattern or icon)) near4 ((around or within or vicinity) near3 (point\$2 or	USPAT; US-PGPUB;	2003/04/24 21:07
		center or origin or point))	EPO;	
		· ' '	DERWENT;	
			IBM_TDB	
1 77' .	4 10 5 10 0	2:21:17 PM Page 10		

•	4	(((defin\$3 or identif\$3 or label\$3) near4 (image or area or region or	USPAT;	2003/04/24 21:08
		pattern or icon)) near4 ((around or within or vicinity) near3 (point\$2 or	US-PGPUB;	
		center or origin or point))) same ((compar\$3 or match\$3) with (template))	EPO;	
			DERWENT;	
			IBM_TDB	
	2	6477275.pn.	USPAT;	2003/04/24 21:15
			US-PGPUB;	
			EPO;	
			DERWENT;	
			IBM_TDB	
	4996	((cursor or stylus or pointer or mouse) near4 (highlight\$3 or select\$3)	USPAT;	2003/04/25 10:19
		near6 (image or icon or pattern or area or region or mask or bitmap or	US-PGPUB;	
		label))	EPO;	
			DERWENT;	
			IBM_TDB	
	4	(((cursor or stylus or pointer or mouse) near4 (highlight\$3 or select\$3)	USPAT;	2003/04/25 10:22
		near6 (image or icon or pattern or area or region or mask or bitmap or	US-PGPUB;	
		label))) same ((compar\$3 or match\$3) with (template or reference))	EPO;	
			DERWENT;	
			IBM_TDB	
	6516	((cursor or stylus or pointer or mouse) near4 (highlight\$3 or select\$3 or	USPAT;	2003/04/25 10:21
		defin\$3 or identif\$4) near6 (image or icon or pattern or area or region or	US-PGPUB;	
		mask or bitmap or label))	EPO;	
			DERWENT;	
			IBM TDB	
	24	(((cursor or stylus or pointer or mouse) near4 (highlight\$3 or select\$3 or	USPĀT;	2003/04/25 10:22
		defin\$3 or identif\$4) near6 (image or icon or pattern or area or region or	US-PGPUB;	
		mask or bitmap or label))) same ((compar\$3 or match\$3) with (template	EPO;	
		or reference))	DERWENT;	
		,,	IBM TDB	
	1	Prendin-Walter.in.	USPAT:	2003/04/25 11:27
			US-PGPUB;	
			EPO;	
			DERWENT;	
			IBM TDB	